WorkForce Pro WF-C8190D3TWC

DATASHEET / BROCHURE





For small to medium workgroups, this highly reliable A3 business inkjet printer with a fast FPOT keeps costs low and productivity high.

Deliver results for your business while keeping electricity bills to a minimum, reducing environmental impact and improving your CSR reputation. Not only delivering everyday A4 documents quickly, it also opens up a range of uses for A3 documents, such as in-house leaflets, brochure drafts for proofreading, spreadsheets, construction site plans, worksheets for classrooms, booklets and much more.

Save money

Designed for workgroups, your business can avoid the hidden employee productivity costs associated with centralised printing. Further lower costs by changing consumables less with its innovative ink supply system, helping to deliver a competitive TCO. Its low energy usage can reduce energy bills, and its simple but effective inkjet mechanism requires fewer replacement parts.

High productivity and low intervention

Don't wait for prints with no warm up time and a fast First Page Out Time (FPOT) of 5.5 seconds. Print up to 11,500 pages in monochrome and 8,000 in colour without changing supplies with large ink cartridges¹. Print on a wide range of media including recycled paper, glossy media, envelopes and labels.

Reduce your impact

Benefit from low-power consumption and minimise energy bills due to the noheat technology of inkjet printing, along with no ozone emissions - all while reducing your impact on the environment. Also, fewer replacement parts are needed, such as fusers, drums, developers etc, unlike a laser.

Built for business

A range of software and tools provide secure print options and help manage devices remotely. NFC and wireless connectivity also supports printing from mobile devices.

KEY FEATURES

- Benefit from A3 printing Print in-house leaflets, brochure drafts, spreadsheets and more
- Ecological Keep energy bills low and reduce your impact on the environment
- Save money Further lower costs by changing consumables less
- Save time 5.5 seconds FPOT (from ready mode)
- Built for business DuraBrite Pro pigment inks



PRODUCT SPECIFICATIONS

TECHNOLOGY				
Printing Method				
Nozzle Configuration 800 Nozzles black, 800 Nozzles per colour				
Minimum Droplet Size	4.6 pl DURABrite™ Pro			
Ink Technology				
Application	Office Workgroup, Office Departmental			
All-in-One Functions	Print			
PRINT				
First Page Out	Monochrome 5.5 Seconds, Colour 5.5 Seconds			
rinting Speed ISO/IEC 24734 24 pages/min Monochrome, 24 pages/min Colour				
Duplex Printing Speed ISO/IEC 24734	16 A4 pages/min Monochrome, 16 A4 pages/min Colour			
Printing Speed ISO/IEC 2473 (A3)	4 13 pages/min Monochrome, 13 pages/min Colour			
Duplex Printing Speed ISO/IEC 24734 (A3)	11 A4 pages/min Monochrome, 11 A4 pages/min Colour			
Maximum Printing Speed	35 pages/min Monochrome (plain paper), 35 pages/min Colour (plain paper)			
Printing Resolution	4,800 x 1,200 dpi			
Max Duty cycle	75,000 pages per month			
	The maximum number of printed pages per month based on the performance capabilities of			
	the printer, including ISO rated print speeds and paper handling capabilities.			
Recommended Duty Cycle	500 - 5,000 pages per month			
	500 - 5,000 pages per month Black, Cyan, Yellow, Magenta			
Colours				
Colours For detailed information on p	Black, Cyan, Yellow, Magenta			
Colours For detailed information on p	Black, Cyan, Yellow, Magenta printing speeds please visit http://www.epson.eu/testing.			
Colours For detailed information on p CONNECTIVITY Network Printing Protocols	Black, Cyan, Yellow, Magenta printing speeds please visit http://www.epson.eu/testing.			
Colours For detailed information on p	Black, Cyan, Yellow, Magenta printing speeds please visit http://www.epson.eu/testing.			
Colours For detailed information on p CONNECTIVITY Network Printing Protocols Network Management	Black, Cyan, Yellow, Magenta printing speeds please visit http://www.epson.eu/testing.			
Colours For detailed information on p CONNECTIVITY Network Printing Protocols Network Management Protocols	Black, Cyan, Yellow, Magenta printing speeds please visit http://www.epson.eu/testing. IPP, LPD, Port 9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping USB 2.0 Type A, USB 3.0 Type B, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T),			
Colours For detailed information on p CONNECTIVITY Network Printing Protocols Network Management Protocols Interfaces	Black, Cyan, Yellow, Magenta printing speeds please visit http://www.epson.eu/testing. IPP, LPD, Port 9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping USB 2.0 Type A, USB 3.0 Type B, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Near Field Communication (NFC)			
Colours For detailed information on p CONNECTIVITY Network Printing Protocols Network Management Protocols	Black, Cyan, Yellow, Magenta printing speeds please visit http://www.epson.eu/testing. IPP, LPD, Port 9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping USB 2.0 Type A, USB 3.0 Type B, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T),			
Colours For detailed information on p CONNECTIVITY Network Printing Protocols Network Management Protocols Interfaces WLAN Security	Black, Cyan, Yellow, Magenta printing speeds please visit http://www.epson.eu/testing. IPP, LPD, Port 9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping USB 2.0 Type A, USB 3.0 Type B, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Near Field Communication (NFC) WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 Enterprise TCP/IPv4, TCP/IPv6			
Colours For detailed information on p CONNECTIVITY Network Printing Protocols Network Management Protocols Interfaces WLAN Security Network Protocols	Black, Cyan, Yellow, Magenta printing speeds please visit http://www.epson.eu/testing. IPP, LPD, Port 9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping USB 2.0 Type A, USB 3.0 Type B, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Near Field Communication (NFC) WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 Enterprise TCP/IPv4, TCP/IPv6			
Colours For detailed information on p CONNECTIVITY Network Printing Protocols Network Management Protocols Interfaces WLAN Security Network Protocols PAPER / MEDIA HANDLING	Black, Cyan, Yellow, Magenta printing speeds please visit http://www.epson.eu/testing. IPP, LPD, Port 9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping USB 2.0 Type A, USB 3.0 Type B, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Near Field Communication (NFC) WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 Enterprise TCP/IPv4, TCP/IPv6			
Colours For detailed information on p CONNECTIVITY Network Printing Protocols Network Management Protocols Interfaces WLAN Security Network Protocols PAPER / MEDIA HANDLING Paper Formats	Black, Cyan, Yellow, Magenta printing speeds please visit http://www.epson.eu/testing. IPP, LPD, Port 9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping USB 2.0 Type A, USB 3.0 Type B, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Near Field Communication (NFC) WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 Enterprise TCP/IPv4, TCP/IPv6 A4, A5, A6, B5, C6 (Envelope), C4 (Envelope), No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18			
Colours For detailed information on p CONNECTIVITY Network Printing Protocols Network Management Protocols Interfaces WLAN Security Network Protocols PAPER / MEDIA HANDLING	Black, Cyan, Yellow, Magenta printing speeds please visit http://www.epson.eu/testing. IPP, LPD, Port 9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping USB 2.0 Type A, USB 3.0 Type B, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Near Field Communication (NFC) WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 Enterprise TCP/IPv4, TCP/IPv6 A4, A5, A6, B5, C6 (Envelope), C4 (Envelope), No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 20 x 25 cm, 16:9, Legal, A3, A3+			
Colours For detailed information on p CONNECTIVITY Network Printing Protocols Network Management Protocols Interfaces WLAN Security Network Protocols PAPER / MEDIA HANDLING Paper Formats Compatible Paper Weight Duplex	Black, Cyan, Yellow, Magenta printing speeds please visit http://www.epson.eu/testing. IPP, LPD, Port 9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping USB 2.0 Type A, USB 3.0 Type B, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Near Field Communication (NFC) WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 Enterprise TCP/IPv4, TCP/IPv6 A4, A5, A6, B5, C6 (Envelope), C4 (Envelope), No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 20 x 25 cm, 16:9, Legal, A3, A3+ 64 g/m ² - 300 g/m ²			
Colours For detailed information on p CONNECTIVITY Network Printing Protocols Network Management Protocols Interfaces WLAN Security Network Protocols PAPER / MEDIA HANDLING Paper Formats Compatible Paper Weight	Black, Cyan, Yellow, Magenta printing speeds please visit http://www.epson.eu/testing. IPP, LPD, Port 9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping USB 2.0 Type A, USB 3.0 Type B, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Near Field Communication (NFC) WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 Enterprise TCP/IPv4, TCP/IPv6 A4, A5, A6, B5, C6 (Envelope), C4 (Envelope), No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 20 x 25 cm, 16:9, Legal, A3, A3+ 64 g/m ² - 300 g/m ² Yes			
Colours For detailed information on p CONNECTIVITY Network Printing Protocols Network Management Protocols Interfaces WLAN Security Network Protocols PAPER / MEDIA HANDLING Paper Formats Compatible Paper Weight Duplex Standard Paper input	Black, Cyan, Yellow, Magenta printing speeds please visit http://www.epson.eu/testing. IPP, LPD, Port 9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping USB 2.0 Type A, USB 3.0 Type B, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Near Field Communication (NFC) WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 Enterprise TCP/IPv4, TCP/IPv6 A4, A5, A6, B5, C6 (Envelope), C4 (Envelope), No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 20 x 25 cm, 16:9, Legal, A3, A3+ 64 g/m ² - 300 g/m ² Yes 1,835 Sheets Standard, 85 Sheets MP tray, 1,750 Sheets paper tray			
Colours For detailed information on p CONNECTIVITY Network Printing Protocols Network Management Protocols Interfaces WLAN Security Network Protocols PAPER / MEDIA HANDLING Paper Formats Compatible Paper Weight Duplex Standard Paper input Output Tray Capacity	Black, Cyan, Yellow, Magenta printing speeds please visit http://www.epson.eu/testing. IPP, LPD, Port 9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping USB 2.0 Type A, USB 3.0 Type B, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Near Field Communication (NFC) WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 Enterprise TCP/IPv4, TCP/IPv6 A4, A5, A6, B5, C6 (Envelope), C4 (Envelope), No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 20 x 25 cm, 16:9, Legal, A3, A3+ 64 g/m ² - 300 g/m ² Yes 1,835 Sheets Standard, 85 Sheets MP tray, 1,750 Sheets paper tray 250 Sheets			
Colours For detailed information on p CONNECTIVITY Network Printing Protocols Network Management Protocols Interfaces WLAN Security Network Protocols PAPER / MEDIA HANDLING Paper Formats Compatible Paper Weight Duplex Standard Paper input Output Tray Capacity Paper Tray Capacity	Black, Cyan, Yellow, Magenta printing speeds please visit http://www.epson.eu/testing. IPP, LPD, Port 9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping USB 2.0 Type A, USB 3.0 Type B, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Near Field Communication (NFC) WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 Enterprise TCP/IPv4, TCP/IPv6 A4, A5, A6, B5, C6 (Envelope), C4 (Envelope), No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 20 x 25 cm, 16:9, Legal, A3, A3+ 64 g/m ² - 300 g/m ² Yes 1,835 Sheets Standard, 85 Sheets MP tray, 1,750 Sheets paper tray 250 Sheets 1,750 Sheets Standard, 1,835 Sheets maximum			
Colours For detailed information on p CONNECTIVITY Network Printing Protocols Network Management Protocols Interfaces WLAN Security Network Protocols PAPER / MEDIA HANDLING Paper Formats Compatible Paper Weight Duplex Standard Paper input Output Tray Capacity Paper Tray Capacity Standard paper tray(s)	 Black, Cyan, Yellow, Magenta brinting speeds please visit http://www.epson.eu/testing. IPP, LPD, Port 9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping USB 2.0 Type A, USB 3.0 Type B, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Near Field Communication (NFC) WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 Enterprise TCP/IPv4, TCP/IPv6 A4, A5, A6, B5, C6 (Envelope), C4 (Envelope), No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 20 x 25 cm, 16:9, Legal, A3, A3+ 64 g/m² - 300 g/m² Yes 1,835 Sheets Standard, 85 Sheets MP tray, 1,750 Sheets paper tray 250 Sheets 1,750 Sheets Standard, 1,835 Sheets maximum 85-Sheet Multi-Purpose Tray, 250-sheet paper tray, 3 x 500 sheet paper tray, Cabinet 			

WorkForce Pro WF-C8190D3TWC

WHAT'S IN THE BOX

- Main unit
- Power cable
- Quick Setup Guide
- User Manual (CD-ROM)
- Warranty card



PRODUCT SPECIFICATIONS

RASF				
ber Formats A3+, A3, A4, A5, A6, B4, B5, B6, C4 (Envelope), C5 (Envelope), C6 (Envelope), DL (Env Letter, 10 x 15 cm, 13 x 18 cm, 16:9, HLT, User defined, Legal, Executive, SRA3, Tabl				
Min 55x 330 mm to Max 127x 1,200 mm				
64 g/m² - 300 g/m²				
85 80gsm				
Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper				
C1				
A3, A4, A5, A6, B4, B5, B6, Letter, HLT, Legal, Executive, Tabloid				
64 g/m² - 200 g/m²				
250 80gsm				
Plain Paper, Recycled Paper, Colour Paper, Letterhead				
FEEDC2-C4}				
C2-C4				
A3, A4, A5, A6, B4, B5, B6, Letter, HLT, Legal, Executive				
64 g/m² - 200 g/m²				
500 80gsm				
Plain Paper, Recycled Paper, Colour Paper, Letterhead				
Duplex				
A3, A4, A5, B4, B5, B6, Letter, Legal, Executive, Tabloid				
64 g/m² - 150 g/m²				
37 W (standalone copying, ISO/IEC 24712 pattern), 1.2 W (sleep mode), 8.5 W (Ready), 0.2 W				
(Power off), ENERGY STAR® qualified, TEC 0.2 kWh/week				
AC 220 V - 240 V				
772 x 873 x 1,056 mm (Width x Depth x Height)				
94.3 kg				
6.7 B (A) according to ISO 7779 pattern with Epson Premium Glossy Photo Paper / Photo RPM mode - 51 dB (A) according to ISO 9296				
Android 4.0+, Linux, Mac OS X 10.6.8 or later, Microsoft Windows Vista (32/64 bit), Windows				
10, Windows 7, Windows 7 x64, Windows 8 (32/64 bit), Windows 8.1, Windows 8.1 x64 Edition				
Windows Server 2003, Windows Server 2003 (32/64bit), Windows Server 2003 R2 x64,				
Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit),				
Windows Server 2012 R2, Windows Server 2016, Windows XP SP3, XP Professional x64				
Edition SP2				
Operation: 6.7 B (A)				
Operation: 51 dB (A)				
Epson Connect (iPrint, Email Print, Remote Print Driver), Apple AirPrint, Google Cloud Print				
220V, 240V				
Direct print from USB				
Type: Colour, Diagonal: 6.1 cm				
•				
Type: Colour, Diagonal: 6.1 cm				
Type: Colour, Diagonal: 6.1 cm Automatic duplex, Rear specialty media feed, Thick Media Support				
Type: Colour, Diagonal: 6.1 cm Automatic duplex, Rear specialty media feed, Thick Media Support Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin				
Type: Colour, Diagonal: 6.1 cm Automatic duplex, Rear specialty media feed, Thick Media Support Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin				
Type: Colour, Diagonal: 6.1 cm Automatic duplex, Rear specialty media feed, Thick Media Support Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode				
Type: Colour, Diagonal: 6.1 cm Automatic duplex, Rear specialty media feed, Thick Media Support Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode				



SUPPLIES

Standard Cassette Maintenance Roller	C13S210048	200,000 pages
Optional Cassette Maintenance Roller	C13S210049	200,000 pages
 WF-C8190 / WF-C8690 Ink Cartridge XXL Black 	C13T04A140	11,500 pages
 WF-C8190 / WF-C8690 Ink Cartridge XXL Cyan 	C13T04A240	8,000 pages
 WF-C8190 / WF-C8690 Ink Cartridge XXL Magenta 	C13T04A340	8,000 pages
 WF-C8190 / WF-C8690 Ink Cartridge XXL Yellow 	C13T04A440	8,000 pages
 WF-C81xx / WF-C86xx Ink Cartridge XL Black 	C13T04B140	5,800 pages
 WF-C81xx / WF-C86xx Ink Cartridge XL Cyan 	C13T04B240	4,600 pages
 WF-C81xx / WF-C86xx Ink Cartridge XL Magenta 	C13T04B340	4,600 pages
 WF-C81xx / WF-C86xx Ink Cartridge XL Yellow 	C13T04B440	4,600 pages
 WF-C81xx / WF-C86xx Ink Cartridge L Black 	C13T04C140	2,900 pages
 WF-C81xx / WF-C86xx Ink Cartridge L Cyan 	C13T04C240	1,700 pages
 WF-C81xx / WF-C86xx Ink Cartridge L Magenta 	C13T04C340	1,700 pages
 WF-C81xx / WF-C86xx Ink Cartridge L Yellow 	C13T04C440	1,700 pages

Maintenance box

OPTIONAL ACCESSORIES

 Card Reader Holder C12C932921

LOGISTICS INFORMATION

sкu	C11CG70401BZ
EAN code	8715946654713
Layer	1 Units
Layer Block	1 Units

C13T671400

WorkForce Pro WF-C8190D3TWC

INK YIELD DATA

1. 111	T04C4	T04B4	T04A4
•	2,900	5,800	11,500
	pages*	pages*	pages*
• • •	1,700	4,600	8,000
	pages*	pages*	pages*

* Approx. page yield based on ISO/IEC 24711/24712 or ISO/ IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit http://www.epson.eu/pageyield

PRECISIONCORE

For more information please contact: Home users: 0343 90 37766 Business users*: 0871 42 37766 Republic of Ireland: 01 436 7742 Or visit us at https://www.epson.co.uk/contactus * 10p per minute plus network extras.

Web: www.epson.co.uk www.epson.ie 1. Approx. page yield. Actual yield will vary depending on images printed and usage conditions. For more information visit www.epson.eu/pageyield.

EPSON[®]

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.